Ambir PS667-AS



Simplex A6 ID Card Scanner w/AmbirScan

Model Number

Ambir Part# **PS667-AS**Ingram Part # **Q79194**Synnex Part # **2586030**Tech Data Part # **10042521**



The Ambir PS667 Simplex ID Card Scanner delivers commercial grade scanning quality in an ultra compact footprint.

Quickly and easily digitize images of a wide range of identity documents such as driver's licenses, ID cards, insurance cards, business cards and checks with the Ambir PS667 simplex card scanner.

Designed to efficiently scan thick materials such as laminated ID cards and plastic cards with embossed characters*, the PS667 delivers com - mercial grade scanning quality in a lightweight, ultra compact footprint.

And with convenient USB 2.0 connectivity to desktops, laptops, tablet computers and Point of Sale (POS) systems, the PS667 requires no external power adapter.

The PS667 comes with AmbirScan, Ambir's powerful imaging software. AmbirScan features support for PDF, JPEG, GIF, BMP, and now TIFF extensions. Fixed file locations let you set a default save location for your scans. AmbirScan also has a recently enhanced user interface.

Ambir PS667-AS



Simplex A6 ID Card Scanner w/AmbirScan

Features 0

Ultra compact footprint – Ideal for any workspace, including space-constrained admissions and registration counters and retail POS environments

Commercial grade quality – Durable and reliable for frequent and continuous use applications such as healthcare admissions and new account set up for financial institutions

High-resolution scanning – Delivers ID card scanning at 600dpi for crisp, clear results

Scan directly to PDF – Included software conveniently delivers industry standard PDF output

Broad compatibility – Included industry standard TWAIN driver is compatible with thousands of software applications

1-year limited warranty – Extended warranties available



Product Specifications ⊘

Scan Modes	48-bit internally, outputs 24-bit true color, 8-bit grayscale & 1-bit B&W
Scan Speed	7 seconds per single-sided page in B&W mode at 200dpi**
Scan Area	maximum 4" x 6" (101mm x 152mm)
Media Thickness	up to 1.4mm
Interface	USB 2.0 hardware compatible with USB 1.1 (USB 1.1 speed performance
Optical Resolution	up to 600dp
TWAIN Compliant	Yes
Dimensions (LxWxH)	7.5" x 2.0" x 1.6" (191mm x 51mm x 41mm)
Weight	8.62oz (244g)
Image Sensor	contact image sensor (CMOS CIS)
Paper Sensor	mechanical
Cable Length	5′ (1.5m) detachable USB
Safety Standards	FCC Class B, CE
Environmental Requirement	RoHS, WEEE

 $^{^*} Typical\ driver's\ license\ thickness\ is\ 0.82mm, insurance\ cards\ 0.65mm\ and\ credit\ cards\ 1.18mm$

 $^{^{\}star\star}\text{Scan}$ speed will vary based on alternate settings and type of material being scanned